



BMI-for-age GIRLS

5 to 19 years (percentiles)



Simplified field tables

| BMI-for-age GIRLS 5 to 19 years (percentiles) | |  World Health Organization | | | | |
|--|--------|---|------|--------|------|------|
| Year: Month | Months | 3rd | 15th | Median | 85th | 97th |
| 5: 1 | 61 | 12.9 | 13.8 | 15.2 | 16.9 | 18.6 |
| 5: 2 | 62 | 12.9 | 13.8 | 15.2 | 16.9 | 18.6 |
| 5: 3 | 63 | 12.9 | 13.8 | 15.2 | 17.0 | 18.7 |
| 5: 4 | 64 | 12.9 | 13.8 | 15.2 | 17.0 | 18.7 |
| 5: 5 | 65 | 12.9 | 13.8 | 15.2 | 17.0 | 18.7 |
| 5: 6 | 66 | 12.8 | 13.8 | 15.2 | 17.0 | 18.7 |
| 5: 7 | 67 | 12.8 | 13.8 | 15.2 | 17.0 | 18.8 |
| 5: 8 | 68 | 12.8 | 13.8 | 15.3 | 17.0 | 18.8 |
| 5: 9 | 69 | 12.8 | 13.8 | 15.3 | 17.0 | 18.8 |
| 5: 10 | 70 | 12.8 | 13.8 | 15.3 | 17.0 | 18.9 |
| 5: 11 | 71 | 12.8 | 13.8 | 15.3 | 17.1 | 18.9 |
| 6: 0 | 72 | 12.8 | 13.8 | 15.3 | 17.1 | 18.9 |
| 6: 1 | 73 | 12.8 | 13.8 | 15.3 | 17.1 | 19.0 |
| 6: 2 | 74 | 12.8 | 13.8 | 15.3 | 17.1 | 19.0 |
| 6: 3 | 75 | 12.8 | 13.8 | 15.3 | 17.1 | 19.0 |
| 6: 4 | 76 | 12.8 | 13.8 | 15.3 | 17.2 | 19.1 |
| 6: 5 | 77 | 12.8 | 13.8 | 15.3 | 17.2 | 19.1 |
| 6: 6 | 78 | 12.8 | 13.8 | 15.3 | 17.2 | 19.2 |
| 6: 7 | 79 | 12.8 | 13.8 | 15.3 | 17.2 | 19.2 |
| 6: 8 | 80 | 12.8 | 13.8 | 15.3 | 17.3 | 19.3 |
| 6: 9 | 81 | 12.8 | 13.9 | 15.4 | 17.3 | 19.3 |
| 6: 10 | 82 | 12.9 | 13.9 | 15.4 | 17.3 | 19.3 |
| 6: 11 | 83 | 12.9 | 13.9 | 15.4 | 17.3 | 19.4 |
| 7: 0 | 84 | 12.9 | 13.9 | 15.4 | 17.4 | 19.4 |
| 7: 1 | 85 | 12.9 | 13.9 | 15.4 | 17.4 | 19.5 |
| 7: 2 | 86 | 12.9 | 13.9 | 15.4 | 17.4 | 19.6 |
| 7: 3 | 87 | 12.9 | 13.9 | 15.5 | 17.5 | 19.6 |
| 7: 4 | 88 | 12.9 | 13.9 | 15.5 | 17.5 | 19.7 |
| 7: 5 | 89 | 12.9 | 13.9 | 15.5 | 17.5 | 19.7 |
| 7: 6 | 90 | 12.9 | 14.0 | 15.5 | 17.6 | 19.8 |

**BMI-for-age GIRLS
5 to 19 years (percentiles)**



**World Health
Organization**

| Year: Month | Months | 3rd | 15th | Median | 85th | 97th |
|-------------|--------|------|------|--------|------|------|
| 7: 7 | 91 | 12.9 | 14.0 | 15.5 | 17.6 | 19.8 |
| 7: 8 | 92 | 13.0 | 14.0 | 15.6 | 17.6 | 19.9 |
| 7: 9 | 93 | 13.0 | 14.0 | 15.6 | 17.7 | 20.0 |
| 7: 10 | 94 | 13.0 | 14.0 | 15.6 | 17.7 | 20.0 |
| 7: 11 | 95 | 13.0 | 14.0 | 15.7 | 17.8 | 20.1 |
| 8: 0 | 96 | 13.0 | 14.1 | 15.7 | 17.8 | 20.2 |
| 8: 1 | 97 | 13.0 | 14.1 | 15.7 | 17.9 | 20.2 |
| 8: 2 | 98 | 13.1 | 14.1 | 15.7 | 17.9 | 20.3 |
| 8: 3 | 99 | 13.1 | 14.1 | 15.8 | 18.0 | 20.4 |
| 8: 4 | 100 | 13.1 | 14.2 | 15.8 | 18.0 | 20.4 |
| 8: 5 | 101 | 13.1 | 14.2 | 15.8 | 18.1 | 20.5 |
| 8: 6 | 102 | 13.1 | 14.2 | 15.9 | 18.1 | 20.6 |
| 8: 7 | 103 | 13.2 | 14.2 | 15.9 | 18.2 | 20.7 |
| 8: 8 | 104 | 13.2 | 14.3 | 15.9 | 18.2 | 20.7 |
| 8: 9 | 105 | 13.2 | 14.3 | 16.0 | 18.3 | 20.8 |
| 8: 10 | 106 | 13.2 | 14.3 | 16.0 | 18.3 | 20.9 |
| 8: 11 | 107 | 13.3 | 14.4 | 16.1 | 18.4 | 21.0 |
| 9: 0 | 108 | 13.3 | 14.4 | 16.1 | 18.4 | 21.1 |
| 9: 1 | 109 | 13.3 | 14.4 | 16.1 | 18.5 | 21.1 |
| 9: 2 | 110 | 13.3 | 14.4 | 16.2 | 18.5 | 21.2 |
| 9: 3 | 111 | 13.4 | 14.5 | 16.2 | 18.6 | 21.3 |
| 9: 4 | 112 | 13.4 | 14.5 | 16.3 | 18.7 | 21.4 |
| 9: 5 | 113 | 13.4 | 14.5 | 16.3 | 18.7 | 21.5 |
| 9: 6 | 114 | 13.4 | 14.6 | 16.3 | 18.8 | 21.6 |
| 9: 7 | 115 | 13.5 | 14.6 | 16.4 | 18.8 | 21.6 |
| 9: 8 | 116 | 13.5 | 14.6 | 16.4 | 18.9 | 21.7 |
| 9: 9 | 117 | 13.5 | 14.7 | 16.5 | 18.9 | 21.8 |
| 9: 10 | 118 | 13.6 | 14.7 | 16.5 | 19.0 | 21.9 |
| 9: 11 | 119 | 13.6 | 14.7 | 16.6 | 19.1 | 22.0 |
| 10: 0 | 120 | 13.6 | 14.8 | 16.6 | 19.1 | 22.1 |

**BMI-for-age GIRLS
5 to 19 years (percentiles)**



**World Health
Organization**

| Year: Month | Months | 3rd | 15th | Median | 85th | 97th |
|-------------|--------|------|------|--------|------|------|
| 10: 1 | 121 | 13.6 | 14.8 | 16.7 | 19.2 | 22.2 |
| 10: 2 | 122 | 13.7 | 14.9 | 16.7 | 19.3 | 22.2 |
| 10: 3 | 123 | 13.7 | 14.9 | 16.8 | 19.3 | 22.3 |
| 10: 4 | 124 | 13.7 | 14.9 | 16.8 | 19.4 | 22.4 |
| 10: 5 | 125 | 13.8 | 15.0 | 16.9 | 19.5 | 22.5 |
| 10: 6 | 126 | 13.8 | 15.0 | 16.9 | 19.5 | 22.6 |
| 10: 7 | 127 | 13.9 | 15.1 | 17.0 | 19.6 | 22.7 |
| 10: 8 | 128 | 13.9 | 15.1 | 17.0 | 19.7 | 22.8 |
| 10: 9 | 129 | 13.9 | 15.1 | 17.1 | 19.8 | 22.9 |
| 10: 10 | 130 | 14.0 | 15.2 | 17.1 | 19.8 | 23.0 |
| 10: 11 | 131 | 14.0 | 15.2 | 17.2 | 19.9 | 23.1 |
| 11: 0 | 132 | 14.0 | 15.3 | 17.2 | 20.0 | 23.2 |
| 11: 1 | 133 | 14.1 | 15.3 | 17.3 | 20.0 | 23.3 |
| 11: 2 | 134 | 14.1 | 15.4 | 17.4 | 20.1 | 23.4 |
| 11: 3 | 135 | 14.2 | 15.4 | 17.4 | 20.2 | 23.5 |
| 11: 4 | 136 | 14.2 | 15.5 | 17.5 | 20.3 | 23.6 |
| 11: 5 | 137 | 14.2 | 15.5 | 17.5 | 20.4 | 23.7 |
| 11: 6 | 138 | 14.3 | 15.6 | 17.6 | 20.4 | 23.8 |
| 11: 7 | 139 | 14.3 | 15.6 | 17.7 | 20.5 | 23.9 |
| 11: 8 | 140 | 14.4 | 15.7 | 17.7 | 20.6 | 24.0 |
| 11: 9 | 141 | 14.4 | 15.7 | 17.8 | 20.7 | 24.1 |
| 11: 10 | 142 | 14.5 | 15.8 | 17.9 | 20.8 | 24.2 |
| 11: 11 | 143 | 14.5 | 15.8 | 17.9 | 20.8 | 24.3 |
| 12: 0 | 144 | 14.6 | 15.9 | 18.0 | 20.9 | 24.4 |
| 12: 1 | 145 | 14.6 | 15.9 | 18.1 | 21.0 | 24.5 |
| 12: 2 | 146 | 14.7 | 16.0 | 18.1 | 21.1 | 24.6 |
| 12: 3 | 147 | 14.7 | 16.1 | 18.2 | 21.2 | 24.7 |
| 12: 4 | 148 | 14.7 | 16.1 | 18.3 | 21.3 | 24.8 |
| 12: 5 | 149 | 14.8 | 16.2 | 18.3 | 21.3 | 24.9 |
| 12: 6 | 150 | 14.8 | 16.2 | 18.4 | 21.4 | 25.0 |

**BMI-for-age GIRLS
5 to 19 years (percentiles)**



**World Health
Organization**

| Year: Month | Months | 3rd | 15th | Median | 85th | 97th |
|-------------|--------|------|------|--------|------|------|
| 12: 7 | 151 | 14.9 | 16.3 | 18.5 | 21.5 | 25.1 |
| 12: 8 | 152 | 14.9 | 16.3 | 18.5 | 21.6 | 25.2 |
| 12: 9 | 153 | 15.0 | 16.4 | 18.6 | 21.7 | 25.3 |
| 12: 10 | 154 | 15.0 | 16.4 | 18.7 | 21.8 | 25.4 |
| 12: 11 | 155 | 15.1 | 16.5 | 18.7 | 21.8 | 25.5 |
| 13: 0 | 156 | 15.1 | 16.5 | 18.8 | 21.9 | 25.6 |
| 13: 1 | 157 | 15.2 | 16.6 | 18.9 | 22.0 | 25.7 |
| 13: 2 | 158 | 15.2 | 16.7 | 18.9 | 22.1 | 25.8 |
| 13: 3 | 159 | 15.3 | 16.7 | 19.0 | 22.2 | 25.9 |
| 13: 4 | 160 | 15.3 | 16.8 | 19.1 | 22.3 | 26.0 |
| 13: 5 | 161 | 15.3 | 16.8 | 19.1 | 22.3 | 26.1 |
| 13: 6 | 162 | 15.4 | 16.9 | 19.2 | 22.4 | 26.1 |
| 13: 7 | 163 | 15.4 | 16.9 | 19.3 | 22.5 | 26.2 |
| 13: 8 | 164 | 15.5 | 17.0 | 19.3 | 22.6 | 26.3 |
| 13: 9 | 165 | 15.5 | 17.0 | 19.4 | 22.6 | 26.4 |
| 13: 10 | 166 | 15.6 | 17.1 | 19.4 | 22.7 | 26.5 |
| 13: 11 | 167 | 15.6 | 17.1 | 19.5 | 22.8 | 26.6 |
| 14: 0 | 168 | 15.6 | 17.2 | 19.6 | 22.9 | 26.7 |
| 14: 1 | 169 | 15.7 | 17.2 | 19.6 | 22.9 | 26.8 |
| 14: 2 | 170 | 15.7 | 17.3 | 19.7 | 23.0 | 26.8 |
| 14: 3 | 171 | 15.8 | 17.3 | 19.7 | 23.1 | 26.9 |
| 14: 4 | 172 | 15.8 | 17.4 | 19.8 | 23.2 | 27.0 |
| 14: 5 | 173 | 15.8 | 17.4 | 19.9 | 23.2 | 27.1 |
| 14: 6 | 174 | 15.9 | 17.4 | 19.9 | 23.3 | 27.1 |
| 14: 7 | 175 | 15.9 | 17.5 | 20.0 | 23.4 | 27.2 |
| 14: 8 | 176 | 15.9 | 17.5 | 20.0 | 23.4 | 27.3 |
| 14: 9 | 177 | 16.0 | 17.6 | 20.1 | 23.5 | 27.4 |
| 14: 10 | 178 | 16.0 | 17.6 | 20.1 | 23.5 | 27.4 |
| 14: 11 | 179 | 16.0 | 17.6 | 20.2 | 23.6 | 27.5 |
| 15: 0 | 180 | 16.1 | 17.7 | 20.2 | 23.7 | 27.6 |

**BMI-for-age GIRLS
5 to 19 years (percentiles)**



**World Health
Organization**

| Year: Month | Months | 3rd | 15th | Median | 85th | 97th |
|-------------|--------|------|------|--------|------|------|
| 15: 1 | 181 | 16.1 | 17.7 | 20.3 | 23.7 | 27.6 |
| 15: 2 | 182 | 16.1 | 17.8 | 20.3 | 23.8 | 27.7 |
| 15: 3 | 183 | 16.2 | 17.8 | 20.4 | 23.8 | 27.7 |
| 15: 4 | 184 | 16.2 | 17.8 | 20.4 | 23.9 | 27.8 |
| 15: 5 | 185 | 16.2 | 17.9 | 20.4 | 23.9 | 27.9 |
| 15: 6 | 186 | 16.2 | 17.9 | 20.5 | 24.0 | 27.9 |
| 15: 7 | 187 | 16.3 | 17.9 | 20.5 | 24.0 | 28.0 |
| 15: 8 | 188 | 16.3 | 18.0 | 20.6 | 24.1 | 28.0 |
| 15: 9 | 189 | 16.3 | 18.0 | 20.6 | 24.1 | 28.1 |
| 15: 10 | 190 | 16.3 | 18.0 | 20.6 | 24.2 | 28.1 |
| 15: 11 | 191 | 16.4 | 18.0 | 20.7 | 24.2 | 28.2 |
| 16: 0 | 192 | 16.4 | 18.1 | 20.7 | 24.2 | 28.2 |
| 16: 1 | 193 | 16.4 | 18.1 | 20.7 | 24.3 | 28.2 |
| 16: 2 | 194 | 16.4 | 18.1 | 20.8 | 24.3 | 28.3 |
| 16: 3 | 195 | 16.4 | 18.1 | 20.8 | 24.4 | 28.3 |
| 16: 4 | 196 | 16.5 | 18.2 | 20.8 | 24.4 | 28.4 |
| 16: 5 | 197 | 16.5 | 18.2 | 20.9 | 24.4 | 28.4 |
| 16: 6 | 198 | 16.5 | 18.2 | 20.9 | 24.5 | 28.4 |
| 16: 7 | 199 | 16.5 | 18.2 | 20.9 | 24.5 | 28.5 |
| 16: 8 | 200 | 16.5 | 18.3 | 20.9 | 24.5 | 28.5 |
| 16: 9 | 201 | 16.5 | 18.3 | 21.0 | 24.6 | 28.5 |
| 16: 10 | 202 | 16.6 | 18.3 | 21.0 | 24.6 | 28.6 |
| 16: 11 | 203 | 16.6 | 18.3 | 21.0 | 24.6 | 28.6 |
| 17: 0 | 204 | 16.6 | 18.3 | 21.0 | 24.7 | 28.6 |
| 17: 1 | 205 | 16.6 | 18.3 | 21.1 | 24.7 | 28.6 |
| 17: 2 | 206 | 16.6 | 18.4 | 21.1 | 24.7 | 28.7 |
| 17: 3 | 207 | 16.6 | 18.4 | 21.1 | 24.7 | 28.7 |
| 17: 4 | 208 | 16.6 | 18.4 | 21.1 | 24.8 | 28.7 |
| 17: 5 | 209 | 16.6 | 18.4 | 21.1 | 24.8 | 28.7 |
| 17: 6 | 210 | 16.6 | 18.4 | 21.2 | 24.8 | 28.8 |

**BMI-for-age GIRLS
5 to 19 years (percentiles)**



**World Health
Organization**

| Year: Month | Months | 3rd | 15th | Median | 85th | 97th |
|---------------------------|--------|------|------|--------|------|------|
| 17: 7 | 211 | 16.6 | 18.4 | 21.2 | 24.8 | 28.8 |
| 17: 8 | 212 | 16.7 | 18.4 | 21.2 | 24.8 | 28.8 |
| 17: 9 | 213 | 16.7 | 18.5 | 21.2 | 24.9 | 28.8 |
| 17: 10 | 214 | 16.7 | 18.5 | 21.2 | 24.9 | 28.8 |
| 17: 11 | 215 | 16.7 | 18.5 | 21.2 | 24.9 | 28.9 |
| 18: 0 | 216 | 16.7 | 18.5 | 21.3 | 24.9 | 28.9 |
| 18: 1 | 217 | 16.7 | 18.5 | 21.3 | 24.9 | 28.9 |
| 18: 2 | 218 | 16.7 | 18.5 | 21.3 | 25.0 | 28.9 |
| 18: 3 | 219 | 16.7 | 18.5 | 21.3 | 25.0 | 28.9 |
| 18: 4 | 220 | 16.7 | 18.5 | 21.3 | 25.0 | 28.9 |
| 18: 5 | 221 | 16.7 | 18.5 | 21.3 | 25.0 | 28.9 |
| 18: 6 | 222 | 16.7 | 18.5 | 21.3 | 25.0 | 29.0 |
| 18: 7 | 223 | 16.7 | 18.6 | 21.4 | 25.0 | 29.0 |
| 18: 8 | 224 | 16.7 | 18.6 | 21.4 | 25.1 | 29.0 |
| 18: 9 | 225 | 16.7 | 18.6 | 21.4 | 25.1 | 29.0 |
| 18: 10 | 226 | 16.7 | 18.6 | 21.4 | 25.1 | 29.0 |
| 18: 11 | 227 | 16.7 | 18.6 | 21.4 | 25.1 | 29.0 |
| 19: 0 | 228 | 16.7 | 18.6 | 21.4 | 25.1 | 29.0 |
| 2007 WHO Reference | | | | | | |