

Contents

Beds by Department 2003 - 2007	Table 9.26, page 67	2007 - 2003
Bed Utilization 2007	Table 9.27, page 68	2007
Admissions and Discharges by Department, Sex and Days of the Week 2007	Table 9.28, page 69	2007
Admissions and Discharges by Days of the Week 2007	Figure 9.7, page 70	2007
Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2007	Table 9.29, page 71	2007 ()
Discharges (Alive and Dead) by Geographical Region, Nationality and Sex 2007	Table 9.30, page 72	2007 ()
Discharges (Alive and Dead) by Marital Status, Nationality and Sex 2007	Table 9.31, page 73	2007 ()
Discharges (Alive and Dead) by Nationality and Sex 2007	Table 9.32, page 74	2007 ()
Discharges by Discharged Status, Department and Nationality 2007	Table 9.33, page 75	2007
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2007	Table 9.34, page 76	2007
Discharges by The Ten Leading Diagnoses 2007	Figure 9.8, page 80	2007
Out-Patient Visits by Clinic, Nationality and Sex 2007	Table 9.35, page 81	2007

المحتويات

Table 9.26
2007 - 2003
Beds by Department 2003 - 2007

<i>Department</i>	<i>2007</i>	<i>2006</i>	<i>2005</i>	<i>2004</i>	<i>2003</i>
Psychiatric	63	63	63	63	63
Child and Adolescent	12	12	12	12	12
Drug and Alcohol	26	26	16	16	13
Psycho-Geriatric	31	31	31	31	37
Mental Retardation	43	43	43	43	39
Long Term Rehabilitation	39	39	39	39	37
Total	214	214	204	204	201

Table 9.27
2007
Bed Utilization 2007


<i>Grand Total</i>	<i>Long Term Rehabilitation</i>	<i>Total</i>	<i>Mental Retardation</i>	<i>Psycho-Geriatric</i>	<i>Drug & Alcohol</i>	<i>Child & Adolescent</i>	<i>Psychiatric</i>	<i>Description</i>
1,112	-	1,112	81	63	236	94	638	Total admissions
1,113	2	1,111	74	96	233	88	620	Total discharges
214	39	175	43	31	26	12	63	No. of beds
78,110	14,235	63,875	15,695	11,315	9,490	4,380	22,995	Bed days available
83,108	2,243	80,865	17,131	15,179	9,110	3,379	36,066	Patient-days overnight
28	-	28	1	2	7	-	18	> Patient days < 1 day
83,136	2,243	80,893	17,132	15,181	9,117	3,379	36,084	Total Patient days
106.4	15.8	126.6	109.2	134.2	96.1	77.1	156.9	Bed occupancy rate
5.2	-	6.3	1.7	3.1	9.0	7.3	9.8	Turnover rate
-4.5	5,996	-15.3	-19.4	-40.3	1.6	11.4	-21.1	* Turnover interval *
3.0	-	3.0	0.2	0.2	0.6	0.3	1.7	Average daily admission
3.0	-	3.0	0.2	0.3	0.6	0.2	1.7	Average daily discharge
75	1122	72.8	232	158	39	38	58	Average length of stay

* Turnover Interval: Negative sign indicate that the concerned department is utilising more beds than allocated .

جدول 9.28
الدخول والخروج حسب القسم والنوع وأيام الأسبوع 2007
Admissions and Discharges by Department, Sex and Days of the Week 2007

Total		Fri		Thurs		Wed		Tues		Mon		Sun		Sat		Sex	Department
Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.		
342	346	8	25	73	63	79	55	29	68	86	57	62	50	5	28	Male	Psychiatric
278	292	15	28	53	44	90	46	39	39	24	45	52	59	5	31	Female	
62	68	1	-	41	5	7	8	6	11	3	22	3	22	1	-	Male	Child & Adolescent
26	26	-	-	12	2	5	2	1	7	3	5	5	7	-	3	Female	
226	230	18	6	41	49	24	33	38	66	46	40	43	33	16	3	Male	Drug & Alcohol
7	6	-	-	1	2	3	1	1	1	-	1	1	1	1	-	Female	
59	41	3	1	7	5	11	9	16	4	12	14	9	4	1	4	Male	Psychogeriatric
37	22	1	1	7	4	11	4	7	1	8	6	1	4	2	2	Female	
36	39	4	-	5	9	5	5	4	9	7	11	10	5	1	-	Male	Mental Retardation
38	42	3	5	7	7	7	7	6	7	4	10	9	4	2	2	Female	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Male	Long Term Rehabilitation
2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	Female	
725	724	34	32	167	131	126	110	93	158	154	144	127	114	24	35	Male	Total
388	388	19	34	80	59	116	60	54	55	39	67	70	75	10	38	Female	
1,113	1,112	53	66	247	190	242	170	147	213	193	211	197	189	34	73	Total	

Figure 9.7
2007
Admissions and Discharges By Days of the Week 2007



Reference: Table 9.28

9.28 :

Table 9.29
2007 ()
Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2007

<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>				()
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>		<i>Age Groups (Years)</i>
-	-	-	-	-	-	-	-	-	Alive	< 1 Year
-	-	-	-	-	-	-	-	-	Dead	
66	16	50	8	3	5	58	13	45	Alive	1-9
-	-	-	-	-	-	-	-	-	Dead	
74	32	42	10	4	6	64	28	36	Alive	10 - 19
-	-	-	-	-	-	-	-	-	Dead	
277	89	188	90	45	45	187	44	143	Alive	20 - 29
-	-	-	-	-	-	-	-	-	Dead	
271	85	186	64	38	26	207	47	160	Alive	30 - 39
-	-	-	-	-	-	-	-	-	Dead	
239	95	144	36	19	17	203	76	127	Alive	40 - 49
1	-	1	-	-	-	1	-	1	Dead	
109	40	69	2	-	2	107	40	67	Alive	50 - 59
1	-	1	-	-	-	1	-	1	Dead	
40	21	19	1	1	-	39	20	19	Alive	60 - 69
1	-	1	-	-	-	1	-	1	Dead	
32	10	22	4	-	4	28	10	18	Alive	70 +
2	-	2	-	-	-	2	-	2	Dead	
1,108	388	720	215	110	105	893	278	615	Alive	Total
5	-	5	-	-	-	5	-	5	Dead	
1,113	388	725	215	110	105	898	278	620	Total	

جدول 9.30 Table 9.30

2007

Discharges (Alive and Dead) by Geographical Region, Nationality and Sex 2007

Total						Dead						Alive						Region
Dead			Alive			Non-Bahraini			Bahraini			Non-Bahraini			Bahraini			
Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	Total	Female	Male	
-	-	-	16	7	9	-	-	-	-	-	-	3	3	-	13	4	9	Hidd
-	-	-	125	46	79	-	-	-	-	-	-	18	10	8	107	36	71	Muharraaq
3	-	3	261	86	175	-	-	-	3	-	3	101	45	56	160	41	119	Manama
-	-	-	98	29	69	-	-	-	-	-	-	9	5	4	89	24	65	Jidhafs
-	-	-	99	35	64	-	-	-	-	-	-	11	8	3	88	27	61	Northern
-	-	-	60	19	41	-	-	-	-	-	-	8	1	7	52	18	34	Sitra
-	-	-	88	42	46	-	-	-	-	-	-	9	4	5	79	38	41	Central
1	-	1	104	24	80	-	-	-	1	-	1	7	3	4	97	21	76	Isa Town
-	-	-	105	27	78	-	-	-	-	-	-	30	14	16	75	13	62	Riffa
-	-	-	48	28	20	-	-	-	-	-	-	7	6	1	41	22	19	Western
-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	Southern
1	-	1	102	44	58	-	-	-	1	-	1	10	10	-	92	34	58	Hamad Town
-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	Undetermined
5	-	5	1,108	388	720	-	-	-	5	-	5	215	110	105	893	278	615	Total

Percent Distribution (%)

(%)

-	-	-	1.4	1.8	1.3	-	-	-	-	-	-	1.4	2.7	-	1.5	1.4	1.5	Hidd
-	-	-	11.3	11.9	11.0	-	-	-	-	-	-	8.4	9.1	7.6	12.0	12.9	11.5	Muharraaq
60.0	-	60.0	23.6	22.2	24.3	-	-	-	60.0	-	60.0	47.0	40.9	53.3	17.9	14.7	19.3	Manama
-	-	-	8.8	7.5	9.6	-	-	-	-	-	-	4.2	4.5	3.8	10.0	8.6	10.6	Jidhafs
-	-	-	8.9	9.0	8.9	-	-	-	-	-	-	5.1	7.3	2.9	9.9	9.7	9.9	Northern
-	-	-	5.4	4.9	5.7	-	-	-	-	-	-	3.7	0.9	6.7	5.8	6.5	5.5	Sitra
-	-	-	7.9	10.8	6.4	-	-	-	-	-	-	4.2	3.6	4.8	8.8	13.7	6.7	Central
20.0	-	20.0	9.4	6.2	11.1	-	-	-	20.0	-	20.0	3.3	2.7	3.8	10.9	7.6	12.4	Isa Town
-	-	-	9.5	7.0	10.8	-	-	-	-	-	-	14.0	12.7	15.2	8.4	4.7	10.1	Riffa
-	-	-	4.3	7.2	2.8	-	-	-	-	-	-	3.3	5.5	1.0	4.6	7.9	3.1	Western
-	-	-	0.1	-	0.1	-	-	-	-	-	-	0.5	-	1.0	-	-	-	Southern
20.0	-	20.0	9.2	11.3	8.1	-	-	-	20.0	-	20.0	4.7	9.1	-	10.3	12.2	9.4	Hamad Town
-	-	-	0.1	0.3	-	-	-	-	-	-	-	0.5	0.9	-	-	-	-	Undetermined

جدول 9.31
 2007 ()
 Discharges (Alive and Dead) by Marital Status, Nationality and Sex 2007

<i>Total</i>						<i>Dead</i>						<i>Alive</i>						<i>Marital Status</i>
<i>Dead</i>			<i>Alive</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	
4	-	4	831	258	573	-	-	-	4	-	4	200	98	102	631	160	471	Single
1	-	1	252	117	135	-	-	-	1	-	1	14	11	3	238	106	132	Married
-	-	-	9	6	3	-	-	-	-	-	-	1	1	-	8	5	3	Widowed
-	-	-	16	7	9	-	-	-	-	-	-	-	-	-	16	7	9	Divorced
5	-	5	1,108	388	720	-	-	-	5	-	5	215	110	105	893	278	615	Total

Percent Distribution (%)

(%)

80.0	-	80.0	75.0	66.5	79.6	-	-	-	80.0	-	80.0	93.0	89.1	97.1	70.7	57.6	76.6	Single
20.0	-	20.0	22.7	30.2	18.8	-	-	-	20.0	-	20.0	6.5	10.0	2.9	26.7	38.1	21.5	Married
-	-	-	0.8	1.5	0.4	-	-	-	-	-	-	0.5	0.9	-	0.9	1.8	0.5	Widowed
-	-	-	1.4	1.8	1.3	-	-	-	-	-	-	-	-	-	1.8	2.5	1.5	Divorced

جدول 9.32
2007 ()
Discharges (Alive and Dead) by Nationality and Sex 2007

Nationality	Total			Dead			Alive		
	Total	Female	Male	Total	Female	Male	Total	Female	Male
Bahraini	898	278	620	5	-	5	893	278	615
Indian	61	20	41	-	-	-	61	20	41
Pakistani	19	5	14	-	-	-	19	5	14
Other Arab	19	12	7	-	-	-	19	12	7
Bangladeshi	17	3	14	-	-	-	17	3	14
Philipino	11	10	1	-	-	-	11	10	1
Saudi Arabian	13	3	10	-	-	-	13	3	10
Iranian	8	-	8	-	-	-	8	-	8
Srilankan	5	5	-	-	-	-	5	5	-
Other Countries of Gulf Co-operation Council	8	1	7	-	-	-	8	1	7
European	-	-	-	-	-	-	-	-	-
Other Asians	14	14	-	-	-	-	14	14	-
African (non Arab)	38	36	2	-	-	-	38	36	2
American	2	1	1	-	-	-	2	1	1
Total	1,113	388	725	5	-	5	1,108	388	720

Percent Distribution (%)

(%)

Bahraini	80.7	71.6	85.5	100	-	100	80.6	71.6	85.4
Indian	5.5	5.2	5.7	-	-	-	5.5	5.2	5.7
Pakistani	1.7	1.3	1.9	-	-	-	1.7	1.3	1.9
Other Arab	1.7	3.1	1.0	-	-	-	1.7	3.1	1.0
Bangladeshi	1.5	0.8	1.9	-	-	-	1.5	0.8	1.9
Philipino	1.0	2.6	0.1	-	-	-	1.0	2.6	0.1
Saudi Arabian	1.2	0.8	1.4	-	-	-	1.2	0.8	1.4
Iranian	0.7	-	1.1	-	-	-	0.7	-	1.1
Srilankan	0.4	1.3	-	-	-	-	0.5	1.3	-
Other Countries of Gulf Co-operation Council	0.7	0.3	1.0	-	-	-	0.7	0.3	1.0
European	-	-	-	-	-	-	-	-	-
Other Asians	1.3	3.6	-	-	-	-	1.3	3.6	-
African (non Arab)	3.4	9.3	0.3	-	-	-	3.4	9.3	0.3
American	0.2	0.3	0.1	-	-	-	0.2	0.3	0.1

جدول 9.33 Table 9.33

2007

Discharges by Discharged Status, Department and Nationality 2007

<i>Total</i>	<i>Long Term Rehabilitation</i>	<i>Mental Retardation</i>	<i>Psycho- Geriatric</i>	<i>Drug & Alcohol</i>	<i>Child & Adolescent</i>	<i>Psychiatric</i>	<i>Nationality</i>	<i>Discharged Status</i>
753	2	62	73	145	72	399	Bah.	Routine discharge home
199	-	7	11	7	13	161	Non-Bah	
128	-	1	4	75	3	45	Bah	Left against medical advice
16	-	-	2	5	-	9	Non-Bah	
1	-	-	-	-	-	1	Bah	48
-	-	-	-	-	-	-	Non-Bah	Died before 48 hours
4	-	-	3	-	-	1	Bah	48
-	-	-	-	-	-	-	Non-Bah	Died after 48 hours
12	-	4	3	1	-	4	Bah	Transferred to other hospitals
-	-	-	-	-	-	-	Non-Bah	
898	2	67	83	221	75	450	Bah	Total
215	-	7	13	12	13	170	Non-Bah	
1,113	2	74	96	233	88	620	Total	

Table 9.34
2007
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2007

<i>Male</i>						<i>Female</i>						<i>Grand Total</i>	<i>DISCH. DOC ALS</i>	<i>Principal Diagnosis</i>	<i>ICD10 Code</i>
<i>Age Groups</i>						<i>Age Groups</i>									
<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i><1 yrs</i>	<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i><1 yrs</i>				
179	16	48	115	-	-	83	4	29	48	2	-	262	DISCH	Schizophrenia	F20
26,950	6,460	4,568	15,922	-	-	16,457	83	7,839	8,510	25	-	43,407	DOC		
150.6	403.8	95.2	138.5	-	-	198.3	20.8	270.3	177.3	12.5	-	165.7	ALS		
209	-	50	159	-	-	1	-	-	1	-	-	210	DISCH	Mental and behavioural disorders due to use of opioids	F11
6,678	-	1,447	5,231	-	-	14	-	-	14	-	-	6,692	DOC		
32.0	-	28.9	32.9	-	-	14.0	-	-	14.0	-	-	31.9	ALS		
62	1	2	58	1	-	84	1	13	70	-	-	146	DISCH	Acute and transient psychotic disorders	F23
1,251	3	34	1,183	31	-	1,330	1	259	1,070	-	-	2,581	DOC		
20.2	3.0	17.0	20.4	31.0	-	15.8	1.0	19.9	15.3	-	-	17.7	ALS		
37	1	12	24	-	-	49	1	18	30	-	-	86	DISCH	- Manic episode	F30
1,001	6	548	447	-	-	1,732	130	606	996	-	-	2,733	DOC		
27.1	6.0	45.7	18.6	-	-	35.3	130.0	33.7	33.2	-	-	31.8	ALS		
41	-	4	30	7	-	44	-	2	37	5	-	85	DISCH	() () Mild mental retardation	F70
5,612	-	206	4,674	732	-	11,608	-	60	11,299	249	-	17,220	DOC		
136.9	-	51.5	155.8	104.6	-	263.8	-	30.0	305.4	49.8	-	202.6	ALS		
31	6	9	16	-	-	42	5	10	27	-	-	73	DISCH	() Recurrent depressive disorder	F33
732	348	168	216	-	-	1,051	94	237	720	-	-	1,783	DOC		
23.6	58.0	18.7	13.5	-	-	25.0	18.8	23.7	26.7	-	-	24.4	ALS		
31	6	8	16	1	-	21	3	6	12	-	-	52	DISCH	() Bipolar affective disorder	F31
1,399	393	227	762	17	-	798	73	445	280	-	-	2,197	DOC		
45.1	65.5	28.4	47.6	17.0	-	38.0	24.3	74.2	23.3	-	-	42.3	ALS		
23	1	1	20	1	-	12	1	1	10	-	-	35	DISCH	Reaction to severe stress, and adjustment disorders	F43
500	1	73	418	8	-	119	9	1	109	-	-	619	DOC		
21.7	1.0	73.0	20.9	8.0	-	9.9	9.0	1.0	10.9	-	-	17.7	ALS		
15	-	-	1	14	-	4	1	-	-	3	-	19	DISCH	() Hyperkinetic disorders	F90
902	-	-	16	886	-	201	1	-	-	200	-	1,103	DOC		
60.1	-	-	16.0	63.3	-	50.3	1.0	-	-	66.7	-	58.1	ALS		

(Cont'd) Table 9.34 ()

2007
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2007

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
7	-	1	6	-	-	11	-	4	7	-	-	18	DISCH	()	F25
158	-	37	121	-	-	324	-	125	199	-	-	482	DOC	Schizoaffective disorders	
22.6	-	37.0	20.2	-	-	29.5	-	31.3	28.4	-	-	26.8	ALS		
9	-	5	4	-	-	7	-	5	1	1	-	16	DISCH		F32
254	-	161	93	-	-	299	-	226	9	64	-	553	DOC	Depressive episode	
28.2	-	32.2	23.3	-	-	42.7	-	45.2	9.0	64.0	-	34.6	ALS		
10	-	-	-	10	-	1	-	-	-	1	-	11	DISCH		F91
570	-	-	-	570	-	65	-	-	-	65	-	635	DOC	Conduct disorders	
57.0	-	-	-	57.0	-	65.0	-	-	-	65.0	-	57.7	ALS		
7	-	-	7	-	-	3	-	-	3	-	-	10	DISCH		F41
223	-	-	223	-	-	95	-	-	95	-	-	318	DOC	Other anxiety disorders	
31.9	-	-	31.9	-	-	31.7	-	-	31.7	-	-	31.8	ALS		
7	-	-	7	-	-	3	-	-	3	-	-	10	DISCH		F60
62	-	-	62	-	-	71	-	-	71	-	-	133	DOC	Specific personality disorders	
8.9	-	-	8.9	-	-	23.7	-	-	23.7	-	-	13.3	ALS		
7	-	-	-	7	-	2	-	-	-	2	-	9	DISCH		F84
43	-	-	-	43	-	14	-	-	-	14	-	57	DOC	Pervasive developmental disorders	
6.1	-	-	-	6.1	-	7.0	-	-	-	7.0	-	6.3	ALS		
7	-	1	6	-	-	1	-	-	1	-	-	8	DISCH		F10
197	-	13	184	-	-	25	-	-	25	-	-	222	DOC	Mental and behavioural disorders due to use of alcohol	
28.1	-	13.0	30.7	-	-	25.0	-	-	25.0	-	-	27.8	ALS		
8	-	-	-	8	-	-	-	-	-	-	-	8	DISCH	()	F80
83	-	-	-	83	-	-	-	-	-	-	-	83	DOC	Specific developmental disorders of speech and language	
10.4	-	-	-	10.4	-	-	-	-	-	-	-	10.4	ALS		
5	-	-	-	5	-	3	-	-	-	3	-	8	DISCH	()	F81
238	-	-	-	238	-	114	-	-	-	114	-	352	DOC	Specific developmental disorders of scholastic skills	
47.6	-	-	-	47.6	-	38.0	-	-	-	38.0	-	44.0	ALS		

(Cont'd) Table 9.34 ()

2007
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2007


Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
2	2	-	-	-	-	3	-	-	2	1	-	5	DISCH		A99
5	5	-	-	-	-	18	-	-	4	14	-	23	DOC	Unspecified viral haemorrhagic fever	
2.5	2.5	-	-	-	-	6.0	-	-	2.0	14.0	-	4.6	ALS		
1	1	-	-	-	-	4	3	1	-	-	-	5	DISCH	()	F00
69	69	-	-	-	-	3,992	3,971	21	-	-	-	4,061	DOC	Dementia in Alzheimer's disease	
69.0	69.0	-	-	-	-	998.0	1323.7	21.0	-	-	-	812.2	ALS		
4	-	1	3	-	-	1	-	-	1	-	-	5	DISCH	()	F40
64	-	21	43	-	-	43	-	-	43	-	-	107	DOC	Phobic anxiety disorders	
16.0	-	21.0	14.3	-	-	43.0	-	-	43.0	-	-	21.4	ALS		
3	-	1	2	-	-	1	-	-	1	-	-	4	DISCH	()	F22
97	-	54	43	-	-	23	-	-	23	-	-	120	DOC	Persistent delusional disorders	
32.3	-	54.0	21.5	-	-	23.0	-	-	23.0	-	-	30.0	ALS		
4	-	1	3	-	-	-	-	-	-	-	-	4	DISCH		F55
206	-	4	202	-	-	-	-	-	-	-	-	206	DOC	Abuse of non-dependence-producing substances	
51.5	-	4.0	67.3	-	-	-	-	-	-	-	-	51.5	ALS		
4	-	-	-	4	-	-	-	-	-	-	-	4	DISCH		F94
208	-	-	-	208	-	-	-	-	-	-	-	208	DOC	Disorders of social functioning with onset specific to childhood and adolescence	
52.0	-	-	-	52.0	-	-	-	-	-	-	-	52.0	ALS		
2	-	-	-	2	-	1	-	-	-	1	-	3	DISCH	()	F93
62	-	-	-	62	-	32	-	-	-	32	-	94	DOC	Emotional disorders with onset specific to childhood	
31.0	-	-	-	31.0	-	32.0	-	-	-	32.0	-	31.3	ALS		
1	-	-	1	-	-	2	-	-	1	1	-	3	DISCH		T39
5	-	-	5	-	-	11	-	-	5	6	-	16	DOC	Poisoning by nonopioid analgesics, antipyretics and antirheumatics	
5.0	-	-	5.0	-	-	5.5	-	-	5.0	6.0	-	5.3	ALS		
2	2	-	-	-	-	-	-	-	-	-	-	2	DISCH	()	F01
192	192	-	-	-	-	-	-	-	-	-	-	192	DOC	Vascular dementia	
96.0	96.0	-	-	-	-	-	-	-	-	-	-	96.0	ALS		

(Cont'd) Table 9.34 ()

2007
Discharges, DOC and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2007

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	<1 yrs	Total	65+	45-64	15-44	1-14	<1 yrs				
-	-	-	-	-	-	2	-	-	1	1	-	2	DISCH	Personality and behavioural disorders due to brain disease, damage and dysfunction	F07
-	-	-	-	-	-	112	-	-	4	108	-	112	DOC		
-	-	-	-	-	-	56.0	-	-	4.0	108.0	-	56.0	ALS		
2	-	-	2	-	-	-	-	-	-	-	-	2	DISCH	Mental and behavioural disorders due to use of cannabinoids	F12
41	-	-	41	-	-	-	-	-	-	-	-	41	DOC		
20.5	-	-	20.5	-	-	-	-	-	-	-	-	20.5	ALS		
-	-	-	-	-	-	2	-	2	-	-	-	2	DISCH	Severe mental retardation	F72
-	-	-	-	-	-	58	-	58	-	-	-	58	DOC		
-	-	-	-	-	-	29.0	-	29.0	-	-	-	29.0	ALS		
1	-	-	-	1	-	1	-	-	-	1	-	2	DISCH	Mental disorder, not otherwise specified	F99
2	-	-	-	2	-	44	-	-	-	44	-	46	DOC		
2.0	-	-	-	2.0	-	44.0	-	-	-	44.0	-	23.0	ALS		
1	-	-	1	-	-	-	-	-	-	-	-	1	DISCH	Other viral haemorrhagic fevers, not elsewhere classified	A98
152	-	-	152	-	-	-	-	-	-	-	-	152	DOC		
152.0	-	-	152.0	-	-	-	-	-	-	-	-	152.0	ALS		
1	-	1	-	-	-	-	-	-	-	-	-	1	DISCH	() Obsessive-compulsive disorder	F42
28	-	28	-	-	-	-	-	-	-	-	-	28	DOC		
28.0	-	28.0	-	-	-	-	-	-	-	-	-	28.0	ALS		
1	-	-	1	-	-	-	-	-	-	-	-	1	DISCH	Dissociative [conversion] disorders	F44
707	-	-	707	-	-	-	-	-	-	-	-	707	DOC		
707.0	-	-	707.0	-	-	-	-	-	-	-	-	707.0	ALS		
1	-	1	-	-	-	-	-	-	-	-	-	1	DISCH	Superficial injury of thorax	S20
25	-	25	-	-	-	-	-	-	-	-	-	25	DOC		
25.0	-	25.0	-	-	-	-	-	-	-	-	-	25.0	ALS		
725	36	146	481	62	-	388	19	91	256	22	-	1,113	DISCH	Total	
48,716	7,477	7,614	30,687	2,938	-	38,650	4,362	9,877	23,476	935	-	87,366	DOC		
67.2	207.7	52.2	63.8	47.4	-	99.6	229.6	108.5	91.7	42.5	-	78.5	ALS		

Figure 9.8 رسم بياني
 الخروج حسب أعلى عشرة تشخيصات رئيسية 2007
 Discharges by The Ten Leading Diagnosis 2007



Reference: Table 9.34

مرجع: جدول 9.34

Table 9.35
2007
Out-Patient Visits by Clinic, Nationality and Sex 2007

<i>Clinic</i>	<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>		
	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>
Emergency	551	254	297	56	24	32	495	230	265
Drug & Alcohol	9,248	97	9,151	585	21	564	8,663	76	8,587
Anxiety	1,674	1,064	610	101	64	37	1,573	1,000	573
Child and Adolescent	2,075	733	1,342	209	70	139	1,866	663	1,203
Community	6,021	3,161	2,860	142	120	22	5,879	3,041	2,838
Day Case	2,869	1,306	1,563	92	77	15	2,777	1,229	1,548
Geriatric	1,221	721	500	52	30	22	1,169	691	478
Liason	1,200	694	506	215	108	107	985	586	399
Mental Retardation	1,038	475	563	73	30	43	965	445	520
General	13,662	6,254	7,408	1,241	576	665	12,421	5,678	6,743
Clinical Psychology
Forensic - Psychiatric	1,040	4	1,036	170	1	169	870	3	867
Total	40,599	14,763	25,836	2,936	1,121	1,815	37,663	13,642	24,021