

## PSYCHIATRIC HOSPITAL


Bed Utilization 2004	Table 9.25, page 9-61		2004
Admissions and Discharges by Days of the Week 2004	Table 9.26, page 9-62		2004
Admissions and Discharges by Days of the Week 2004	Figure 9.7, page 9-63		2004
Discharges (Alive and Dead) by Age Groups, Nationality and Sex 2004	Table 9.27, page 9-64	2004	( )
Discharges (Alive and Dead) by Geographical Region 2004	Table 9.28, page 9-65	2004	( )
Discharges (Alive and Dead) by Marital Status 2004	Table 9.29, page 9-66	2004	( )
Discharges (Alive and Dead) by Nationality 2004	Table 9.30, page 9-67	2004	( )
Discharges by Discharge Status and Nationality 2004	Table 9.31, page 9-68	2004	
Discharges, Days of Care and Average Length of Stay by Principal Diagnosis, Sex and Age Groups 2004	Table 9.32, page 9-69		2004
Discharges by The Ten Leading Diagnosis 2004	Figure 9.8, page 9-73	2004	
Out-Patient Visits by Department, Nationality and Sex 2004	Table 9.33, page 9-74	2004	

<i>Total</i>	<i>Long Term Rehabilitation</i>	<i>Mental Retardation</i>	<i>Psycho- Geriatric</i>	<i>Drug &amp; Alcohol</i>	<i>Child &amp; Adolescent</i>	<i>Psychiatric</i>	<i>Description</i>
1,197	-	55	204	233	86	619	Total admissions
1,152	1	48	200	207	80	616	Total discharges
204	39	43	31	16	12	63	No. of beds
74,664	14,274	15,738	11,346	5,856	4,392	23,058	Bed days available
92,438	4,939	13,161	17,756	9,704	5,250	41,628	Patient-days overnight
41	-	1	12	3	1	24	> Patient days < 1 day
75,280	5,291	10,569	9,673	8,354	6,399	34,994	Total Patient days
100.8	37.1	67.2	85.3	142.7	145.7	151.8	Bed occupancy rate
5.6	-	1.1	6.5	12.9	6.7	9.8	Turnover rate
-0.5	8,983.0	107.7	8.4	-12.1	-25.1	-19.4	* Turnover interval *
3.3	-	0.2	0.6	0.2	0.1	2.3	Average daily admission
3.2	-	0.1	0.5	0.2	0.1	2.1	Average daily discharge
65.2	5,291.0	220.2	48.4	98.3	172.9	44.6	Average length of stay

\* Turnover Interval: Negative sign indicate that the concerned department is utilising more beds than allocated .

Department	Total		Fri		Thurs		Wed		Tues		Mon		Sun		Sat		
	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	Disch.	Adm.	
Psychiatric	616	619	15	52	18	60	198	93	110	97	65	98	115	103	95	116	
Drug & Alcohol	207	233	7	2	22	6	63	69	23	34	23	28	45	50	24	44	
Child & Adolescent	80	86	1	1	1	2	32	5	26	11	1	11	3	22	16	34	
Long Term Rehabilitation	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
Mental Retardation	48	55	1	6	1	3	7	4	10	10	4	11	18	9	7	12	
Psychogeriatric	200	204	7	13	7	16	64	30	11	40	22	27	66	33	23	45	
<b>Total</b>	<b>1,152</b>	<b>1,197</b>	<b>31</b>	<b>74</b>	<b>49</b>	<b>87</b>	<b>365</b>	<b>201</b>	<b>180</b>	<b>192</b>	<b>115</b>	<b>175</b>	<b>247</b>	<b>217</b>	<b>165</b>	<b>251</b>	

**2004**  
**Admissions and Discharges By Days of the Week 2004**



Reference: Table 9.26

9.26 :

<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>				
<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>		( ) <i>Age Groups(Years)</i>
45	12	33	4	2	2	41	10	31	Alive	1-9
-	-	-	-	-	-	-	-	-	Dead	
45	12	33	4	2	2	41	10	31	<b>Total</b>	
71	28	43	5	2	3	66	26	40	Alive	10 - 19
-	-	-	-	-	-	-	-	-	Dead	
71	28	43	5	2	3	66	26	40	<b>Total</b>	
279	106	173	90	52	38	189	54	135	Alive	20 - 29
1	1	-	1	1	-	-	-	-	Dead	
280	107	173	91	53	38	189	54	135	<b>Total</b>	
292	110	182	67	40	27	225	70	155	Alive	30 - 39
-	-	-	-	-	-	-	-	-	Dead	
292	110	182	67	40	27	225	70	155	<b>Total</b>	
272	90	182	50	21	29	222	69	153	Alive	40 - 49
-	-	-	-	-	-	-	-	-	Dead	
272	90	182	50	21	29	222	69	153	<b>Total</b>	
97	32	65	11	2	9	86	30	56	Alive	50 - 59
1	0	1	-	-	-	1	-	1	Dead	
98	32	66	11	2	9	87	30	57	<b>Total</b>	
55	29	26	4	2	2	51	27	24	Alive	60 - 69
-	-	-	-	-	-	-	-	-	Dead	
55	29	26	4	2	2	51	27	24	<b>Total</b>	
39	19	20	-	-	-	39	19	20	Alive	70 +
-	-	-	-	-	-	-	-	-	Dead	
39	19	20	-	-	-	39	19	20	<b>Total</b>	
1150	426	724	231	121	110	919	305	614	Alive	<b>Total</b>
2	1	1	1	1	-	1	-	1	Dead	
1152	427	725	232	122	110	920	305	615	<b>Total</b>	

Region	Total		Dead		Alive	
	%	No.	%	No.	%	No.
Hidd	1.6	19	-	-	1.7	19
Muharraq	14.3	165	-	-	14.3	165
Manama	22.0	254	50.0	1	22.0	253
Jidhafs	10.5	121	50.0	1	10.4	120
Northern	5.2	60	-	-	5.2	60
Sitra	6.4	74	-	-	6.4	74
Central	6.0	69	-	-	6.0	69
Isa Town	8.4	97	-	-	8.4	97
Riffa	9.9	114	-	-	9.9	114
Western	4.1	47	-	-	4.1	47
Southern	0.3	3	-	-	0.3	3
Hamad Town	8.6	99	-	-	8.6	99
Undetermined	2.6	30	-	-	2.6	30
<b>Total</b>	<b>100.0</b>	<b>1,152</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>1,150</b>

<i>Marital Status</i>	<i>Total</i>		<i>Dead</i>		<i>Alive</i>	
	<i>%</i>	<i>No.</i>	<i>%</i>	<i>No.</i>	<i>%</i>	<i>No.</i>
Single	69.0	795	100.0	2	69.0	793
Married	27.7	319	-	-	27.7	319
Widowed	1.4	16	-	-	1.4	16
Divorced	1.8	21	-	-	1.8	21
Unknown	0.1	1	-	-	0.1	1
<b>Total</b>	<b>100.0</b>	<b>1,152</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>1,150</b>

Nationality	Total		Dead		Alive		
	%	No.	%	No.	%	No.	
Bahraini	79.9	920	50.0	1	79.9	919	
Indian	5.8	67	-	-	5.8	67	
Pakistani	1.5	17	-	-	1.5	17	باكستاني
Other Arab	1.8	21	-	-	1.8	21	عرب آخرون
Bangladeshi	1.0	11	-	-	1.0	11	بنغالي
Philipino	1.4	16	-	-	1.4	16	فلبيني
Saudi Arabian	1.8	21	-	-	1.8	21	سعودي
Iranian	1.2	14	-	-	1.2	14	إيراني
Srilankan	0.9	10	-	-	0.9	10	سيلاني
Other Countries of Gulf Co-operation Council (G.C.C.)	0.7	8	-	-	0.7	8	
Americans	-	-	-	-	-	-	أمريكيون
European	0.2	2	-	-	0.2	2	أوروبي
Other Asians	2.2	25	-	-	2.2	25	آسيويون آخرون
African (non Arab)	1.6	18	50.0	1	1.5	17	أفريقي (غير عربي)
Other Nationalities	0.2	2	-	-	0.2	2	جنسيات أخرى
<b>Total</b>	<b>100.0</b>	<b>1,152</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>	<b>1,150</b>	



<i>Total</i>	<i>Long Term Rehabilitation</i>	<i>Mental Retardation</i>	<i>Psycho- Geriatric</i>	<i>Drug &amp; Alcohol</i>	<i>Child &amp; Adolescent</i>	<i>Psychiatric</i>	<i>Nationality</i>	<i>Discharge Status</i>
909	1	45	154	192	74	443	Bah.	Routine discharge home
225	-	3.0	42	12	6	162	Non-Bah.	
1,134	1	48	196	204	80	605	<b>Total</b>	
10	-	-	2	3	-	5	Bah	Left against medical advice
6	-	-	2.0	-	-	4	Non-Bah	
16	-	-	4	3	-	9	<b>Total</b>	
1	-	-	-	-	-	1	Bah	48
1	-	-	-	-	-	1	Non-Bah	Died after 48 hours
2	-	-	-	-	-	2	<b>Total</b>	
920	1	45	156	195	74	449	Bah	<b>Total</b>
232	-	3	44	12	6	167	Non-Bah	
1,152	1	48	200	207	80	616	<b>Total</b>	


<i>Male</i>						<i>Female</i>						<i>Grand Total</i>	<i>DISCH. DOC ALS</i>	<i>Principal Diagnosis</i>	<i>ICD10 Code</i>
<i>Age Groups</i>						<i>Age Groups</i>									
<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>1&gt;</i>	<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>1&gt;</i>				
164	6	43	115	-	-	97	2	24	71	-	-	261	DISCH		F20
6,925	430	2,028	4,467	-	-	9,776	4	5,293	4,479	-	-	16,701	DOC	Schizophrenia	
158	72	47	39	-	-	286	2	221	63	-	-	443	ALS		
122	-	26	96	-	-	2	-	-	2	-	-	124	DISCH		F11
3,143	-	684	2,459	-	-	401	-	-	401	-	-	3,544	DOC	Mental and behavioural disorders due to use of	
52	-	26	26	-	-	201	-	-	201	-	-	252	ALS	opioids	
62	-	18	44	-	-	46	3	8	35	-	-	108	DISCH		F30
2,772	-	408	2,364	-	-	1,197	234	186	777	-	-	3,969	DOC	Manic episode	
76	-	23	54	-	-	123	78	23	22	-	-	200	ALS		
47	1	4	42	-	-	50	-	4	46	-	-	97	DISCH		F23
633	30	45	558	-	-	1,221	-	47	1,174	-	-	1,854	DOC	Acute and transient psychotic disorders	
55	30	11	13	-	-	37	-	12	26	-	-	92	ALS		
33	4	7	22	-	-	59	8	17	34	-	-	92	DISCH		F33
2,335	1,921	107	307	-	-	1,096	129	330	637	-	-	3,431	DOC	Recurrent depressive disorder	
509	480	15	14	-	-	54	16	19	19	-	-	564	ALS		
47	-	6	40	1	-	32	-	2	26	4	-	79	DISCH		F70
17,145	-	245	16,838	62	-	4,841	-	22	4,652	167	-	21,986	DOC	Mild mental retardation	
524	-	41	421	62	-	232	-	11	179	42	-	755	ALS		
69	-	6	63	-	-	1	-	-	1	-	-	70	DISCH		F12
1,387	-	113	1,274	-	-	6	-	-	6	-	-	1,393	DOC	Mental and behavioural disorders due to use of	
39	-	19	20	-	-	6	-	-	6	-	-	45	ALS	cannabinoids	
31	2	10	19	-	-	36	1	11	24	-	-	67	DISCH		F31
1,266	138	436	692	-	-	1,762	11	561	1,190	-	-	3,028	DOC	Bipolar affective disorder	
149	69	44	36	-	-	112	11	51	50	-	-	261	ALS		
22	1	8	13	-	-	22	2	3	16	1	-	44	DISCH		F32
1,717	14	1,548	155	-	-	2,208	43	1,455	709	1	-	3,925	DOC	Depressive episode	
219	14	194	12	-	-	552	22	485	44	1	-	771	ALS		

<i>Male</i>						<i>Female</i>						<i>Grand Total</i>	<i>DISCH. DOC ALS</i>	<i>Principal Diagnosis</i>	<i>ICD10 Code</i>
<i>Age Groups</i>						<i>Age Groups</i>									
<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>1&gt;</i>	<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>1&gt;</i>				
34	-	-	1	33	-	10	-	1	-	9	-	44	DISCH	( )	F90
2,026	-	-	1	2,025	-	576	-	9	-	567	-	2,602	DOC	Hyperkinetic disorders	
62	-	-	1	61	-	72	-	9	-	63	-	134	ALS		
20	-	9	10	1	-	15	-	2	13	-	-	35	DISCH		F43
283	-	204	34	45	-	108	-	22	86	-	-	391	DOC	Reaction to severe stress, and adjustment disorders	
71	-	23	3	45	-	18	-	11	7	-	-	89	ALS		
9	-	1	8	-	-	12	-	1	11	-	-	21	DISCH		F25
981	-	352	629	-	-	785	-	8	777	-	-	1,766	DOC	Schizoaffective disorders	
431	-	352	79	-	-	79	-	8	71	-	-	509	ALS		
6	5	1	-	-	-	13	13	-	-	-	-	19	DISCH		F00
571	523	48	-	-	-	1,944	1,944	-	-	-	-	2,515	DOC	Dementia in Alzheimer's disease	
153	105	48	-	-	-	150	150	-	-	-	-	302	ALS		
17	-	9	8	-	-	2	-	-	2	-	-	19	DISCH		F10
556	-	352	204	-	-	29	-	-	29	-	-	585	DOC	Mental and behavioural disorders due to use of alcohol	
65	-	39	26	-	-	15	-	-	15	-	-	79	ALS		
12	7	5	-	-	-	4	4	-	-	-	-	16	DISCH		F02
1,069	495	574	-	-	-	53	53	-	-	-	-	1,122	DOC	Dementia in other diseases classified elsewhere	
186	71	115	-	-	-	13	13	-	-	-	-	199	ALS		
7	-	-	6	1	-	5	-	2	3	-	-	12	DISCH		F60
48	-	-	36	12	-	132	-	75	57	-	-	180	DOC	Specific personality disorders	
18	-	-	6	12	-	57	-	38	19	-	-	75	ALS		
3	1	-	2	-	-	8	-	1	6	1	-	11	DISCH		F41
32	22	-	10	-	-	129	-	29	85	15	-	161	DOC	Other anxiety disorders	
27	22	-	5	-	-	58	-	29	14	15	-	85	ALS		
4	-	-	-	4	-	2	-	-	-	2	-	6	DISCH		F81
75	-	-	-	75	-	327	-	-	-	327	-	402	DOC	Specific developmental disorders of scholastic skills	
19	-	-	-	19	-	164	-	-	-	164	-	182	ALS		

Male						Female						Grand Total	DISCH. DOC ALS	Principal Diagnosis	ICD10 Code
Age Groups						Age Groups									
Total	65+	45-64	15-44	1-14	1>	Total	65+	45-64	15-44	1-14	1>				
4	3	-	1	-	-	1	-	-	1	-	-	5	DISCH		F06
39	38	-	1	-	-	6	-	-	6	-	-	45	DOC		
14	13	-	1	-	-	6	-	-	6	-	-	20	ALS	Other mental disorders due to brain damage and dysfunction and to physical disease	
0	-	-	-	-	-	5	-	-	5	-	-	5	DISCH		F42
0	-	-	-	-	-	96	-	-	96	-	-	96	DOC	Obsessive-compulsive disorder	
0	-	-	-	-	-	19	-	-	19	-	-	19	ALS		
2	-	-	-	2	-	1	-	-	-	1	-	3	DISCH		F94
49	-	-	-	49	-	88	-	-	-	88	-	137	DOC		
25	-	-	-	25	-	88	-	-	-	88	-	113	ALS	Disorders of social functioning with onset specific to childhood and adolescence	
2	-	-	1	1	-	-	-	-	-	-	-	2	DISCH		F07
49	-	-	14	35	-	-	-	-	-	-	-	49	DOC	Personality and behavioural disorders due to brain disease, damage and dysfunction	
49	-	-	14	35	-	-	-	-	-	-	-	49	ALS		
2	-	-	1	1	-	-	-	-	-	-	-	2	DISCH		F19
1,718	-	-	1,672	46	-	-	-	-	-	-	-	1,718	DOC	Mental and behavioural disorders due to multiple drug use and use of other psychoactive substances	
1,718	-	-	1,672	46	-	-	-	-	-	-	-	1,718	ALS		
-	-	-	-	-	-	2	-	1	1	-	-	2	DISCH		F29
-	-	-	-	-	-	19	-	15	4	-	-	19	DOC	Unspecified nonorganic psychosis	
-	-	-	-	-	-	19	-	15	4	-	-	19	ALS		
1	1	-	-	-	-	1	-	-	1	-	-	2	DISCH		F44
7	7	-	-	-	-	188	-	-	188	-	-	195	DOC	Dissociative [conversion] disorders	
7	7	-	-	-	-	188	-	-	188	-	-	195	ALS		
1	-	-	-	1	-	1	-	-	1	-	-	2	DISCH		F91
55	-	-	-	55	-	7	-	-	7	-	-	62	DOC	Conduct disorders	
55	-	-	-	55	-	7	-	-	7	-	-	62	ALS		
1	1	-	-	-	-	-	-	-	-	-	-	1	DISCH		F28
95	95	-	-	-	-	-	-	-	-	-	-	95	DOC	Other nonorganic psychotic disorders	
95	95	-	-	-	-	-	-	-	-	-	-	95	ALS		

<i>Male</i>						<i>Female</i>						<i>Grand Total</i>	<i>DISCH. DOC ALS</i>	<i>Principal Diagnosis</i>	<i>ICD10 Code</i>
<i>Age Groups</i>						<i>Age Groups</i>									
<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>1&gt;</i>	<i>Total</i>	<i>65+</i>	<i>45-64</i>	<i>15-44</i>	<i>1-14</i>	<i>1&gt;</i>				
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	Specific developmental disorders of speech and language	F80
161	-	-	-	161	-	-	-	-	-	-	-	161	DOC		
161	-	-	-	161	-	-	-	-	-	-	-	161	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	Mixed specific developmental disorders	F83
9	-	-	-	9	-	-	-	-	-	-	-	9	DOC		
9	-	-	-	9	-	-	-	-	-	-	-	9	ALS		
1	-	-	-	1	-	-	-	-	-	-	-	1	DISCH	Emotional disorders with onset specific to childhood	F93
13	-	-	-	13	-	-	-	-	-	-	-	13	DOC		
13	-	-	-	13	-	-	-	-	-	-	-	13	ALS		
725	32	153	492	48	-	427	33	77	299	18	-	1,152	DISCH	<b>Total</b>	
45,159	3,713	7,144	31,715	2,587	-	26,995	2,418	8,052	15,360	1,165	-	72,154	DOC		
281	116	47	64	54	-	294	73	105	51	65	-	575	ALS		

الخروج حسب أعلى عشرة تشخيصات رئيسية 2004  
Discharges by The Ten Leading Diagnosis 2004



Reference: Table 9.32

مرجع: جدول 9.32

<i>Department</i>	<i>Total</i>			<i>Non-Bahraini</i>			<i>Bahraini</i>			
	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	<i>Total</i>	<i>Female</i>	<i>Male</i>	
Psychiatric	22,536	10,873	11,663	2,478	1,196	1,282	20,058	9,677	10,381	
Child and Adolescent	1,738	733	1,005	121	51	70	1,617	682	935	
Drug and Alcohol	5,587	22	5,565	166	-	166	5,421	22	5,399	
Psycho-Geriatric	1,263	773	490	37	23	14	1,226	750	476	
Mental Retardation	737	228	509	14	4	10	723	224	499	
<b>Total</b>	<b>31,861</b>	<b>12,629</b>	<b>19,232</b>	<b>2,816</b>	<b>1,274</b>	<b>1,542</b>	<b>29,045</b>	<b>11,355</b>	<b>17,690</b>	