

Vaccinated?

Are you eligible for a booster dose?

Category

Booster Dose

**Completed 2 doses
of (Sinopharm)**


**6 months after
the second dose**

**Completed 2 doses
of (Sinopharm)**

- From a high risk category
- Those who are 40 years and above


**1 month after
the second dose**

**Completed 2 doses of
(Pfizer-Biontech)
(AstraZeneca-Covishield)**



- Those who are 60 years and above
- The immunocompromised


**6 months after
the second dose**

You can choose to take:
- (Pfizer-Biontech)
- or the same type of
vaccination taken for
your first and second
doses

Recovered?

Are you eligible for a **booster dose**?

| Category | Booster Dose |
|--|---|
| Recovered in 2020 and completed 2 doses of (Sinopharm), (Pfizer-Biontech) (AstraZeneca-Covishield) |  |
| Recovered in 2021 and completed 2 doses of (Sinopharm), (Pfizer-Biontech) (AstraZeneca-Covishield) (Sputnik V) |  |

Are you eligible for a **vaccine**?

| | Vaccine |
|--|---|
| Recovered in 2020 and didn't receive the vaccine yet | Take 2 doses of any vaccine |
| Recovered in 2021 and didn't receive the vaccine yet | Take one dose of (Pfizer-Biontech) or 2 doses of any other vaccine |

FAQ's

I Recovered in 2020 and received 2 doses of Sinopharm, am I eligible for a booster dose?

Yes, eligible :
6 months after the second dose
1 month after the second dose
(if in a high risk category)



Type a message



FAQ's

I Recovered in 2021 and received 2 doses of Sinopharm, am I eligible for a booster dose?

No, you are not eligible



FAQ's

I got infected with COVID-19 after receiving the first dose of the vaccine, do I have to take the second dose?

Yes, you have to receive the second dose according to your vaccination schedule.

- If the date for your second dose coincides with your quarantine, you must take the second dose directly after completing your quarantine.



FAQ's

Who is eligible for a booster dose after 1 month of taking the second dose of the Sinopharm vaccination?

Individuals who are in a high-risk category, such as:

- Those who are 40 years and above
- Those who are under the age of 40 and suffer from obesity or with comorbidities or with compromised immune systems
- Medical frontline staff

